**2**001/006

JUN 2 1 2005



## OSHA•LIANG LLP

www.oshaliang.com

One Houston Center - Suite 2800 1221 McKinney Street Houston, Texas 77010 Tel: 713.228.8600

Fax: 713.228.8778

Houston - Silicon Valley - Paris

FACSIMILE TRANSMITTAL SHEET						
DATE: Ju	June 21, 2005		JMBER:	R: 16159/018001		
то: Вх:	Examiner Anh Ly		MBER:	(571) 273-4039; (703) 872-9306		
FROM: Ro	FROM: Robert P. Lord					
PAGES INCLUDING COVER: 6						
RE: U.S. Patent Application Serial No. 10/044,927						
► URGENT	☐ FOR REVIEW	☐ PLEASE COMMENT	□ PLE	ASE REPLY	□ PLEASE RECYCLE	
NOTES/CON	MENTS:					
Exami	ner Ly,					

Further to our phone conversation this morning, please find enclosed claim amendments for the referenced application that incorporate all the requested amendments listed in your Facsimile of June 20, 2005.

If you have any questions, please do not hesitate to contact us.

Best regards,

Robert P. Lord Reg. No. 46,479

CONFIDENTIALITY NOTICE

This document (including any attachments) may contain privileged or confidential information. In the event that this document has been sent to you in error, or otherwise has been misdirected, please call the sender COLLECT at 713.228.8600 to arrange for its prompt return or destruction.

Your cooperation is greatly appreciated.

Application No.: 10/044,927 Docket No.: 16159/018001; P6405

## CLAIM AMENDMENTS

Please amend the claims as follows:

- (Currently Amended) A <u>computer implemented</u> method for generating a projected graph data structure, comprising:
  - generating a request for the projected graph data structure using a variable usage specification;
  - retrieving a server graph data structure using the generated request;
  - generating a projected graph data structure representation using the generated request, the server graph data structure data structure, and a schema associated with the server graph data structure data structure; and
  - instantiating the projected graph data structure data structure using the projected graph data-structure data structure representation,
  - wherein the variable usage specification comprises a plurality states and at least one transition for an application,
  - wherein each of the plurality of states comprises a list of required objects and object attributes, [[and]]
  - wherein the at least one transition comprises business logic to transition the application from one state of the plurality of states to another state of the plurality of states.
  - wherein the projected graph data structure is an object graph,
  - wherein the server graph data structure is an object graph, and
  - wherein the projected graph data structure representation comprises a hash table.
- (Currently Amended) The <u>computer implemented</u> method of claim 1, further comprising: synchronizing projected objects located on the client with distributed objects located on a server.
- 3. (Cancelled)
- 4. (Cancelled)
- 5. (Cancelled)

105530

Application No.: 10/044,927

Docket No.: 16159/018001; P6405

- (Currently Amended) The <u>computer implemented</u> method of claim I, wherein the projected graph data structure representation comprises an Extensible Mark-up Language document.
- 7. (Currently Amended) The <u>computer implemented</u> method of claim 1, wherein the projected graph data structure representation comprises a serialized file.
- 8. (Cancelled)
- 9. (Currently Amended) The <u>computer implemented</u> method of claim 1, wherein the server graph data structure is located in a persistent data store.
- 10. (Currently Amended) A <u>computer implemented</u> method for generating a projected graph data structure, comprising:
  - generating a request for the projected graph data structure data structure using a usage variable specification;
  - retrieving a server graph data structure data structure using the generated request;
  - generating a projected graph data structure data structure representation using the generated request, the server graph data structure data structure, and a schema associated with the server graph data structure data structure;
  - instantiating the projected graph data structure data structure using the projected graph data structure representation; and
  - synchronizing projected objects located on the client with distributed objects located on a server,
  - wherein the variable usage specification application comprises a plurality states and at least one transition for an application,
  - wherein each of the plurality of states comprises a list of required objects and object attributes, [[and]]
  - wherein the at least one transition comprises business logic to transition the application from one state of the plurality of states to another state of the plurality of states.
  - wherein the projected graph data structure is an object graph,
  - wherein the server graph data structure is an object graph, and
  - wherein the projected graph data structure representation comprises a hash table.

Application No.: 10/044,927 Docket No.: 16159/018001; P6405

- 11. (Currently Amended) A computer network system, comprising:
  - a customer component that generates a request for a projected object graph;
  - a service component that generates a service-side projected object graph representation;
  - nicans for generating the <u>generated</u> request for the projected graph <del>data structure</del> <u>data</u> <u>structure</u> using a variable usage specification;
  - nicans for retrieving a server graph data structure data structure using the generated request;
  - nieans for generating the projected graph data-structure data structure representation using the generated request, the server graph data structure data structure, and a schema associated with the server graph data-structure data structure; and
  - nieans for instantiating the projected graph data structure data structure using the projected graph data-structure data structure representation,
  - wherein the variable usage specification comprises a plurality states and at least one transition for an application,
  - wherein each of the plurality of states comprises a list of required objects and object attributes, [[and]]
  - wherein the at least one transition comprises business logic to transition the application from one state of the plurality of states to another state of the plurality of states,
  - wherein the projected graph data structure is an object graph,
  - wherein the server graph data structure is an object graph, and
  - w herein the projected graph data structure representation comprises a hash table.
- 12. (Currently Amended) The <u>computer</u> network system of claim 11, further comprising: synchronizing projected objects currently located on the client with distributed objects located on a server.
- 13. (Cancelled)
- 14. (Cancelled)
- 15. (Cancelled)

Application No.: 10/044,927 Docket No.: 16159/018001; P6405

- 16. (Currently Amended) The <u>computer network system of claim 11</u>, wherein the projected graph <u>data-structure</u> <u>data structure</u> representation comprises an Extensible Mark-up I anguage document.
- 17. (Currently Amended) The <u>computer</u> network system of claim 11, wherein the projected graph data structure representation comprises a serialize file.
- 18. (Cancelled)
- 19. (Cancelled)
- 20. (Currently Amended) The <u>computer</u> network system of claim 11, wherein the server graph data-structure data structure is located in a persistent data store.
- 21. (Currently Amended) The <u>computer</u> network system of claim 11, wherein the customer component and the service component communication over a network link.
- 22. (Currently Amended) An apparatus for generating a projected graph data structure data structure, comprising:
  - nicans for generating a request for the projected graph data structure data structure using a variable usage specification;
  - nicans for retrieving a server graph data structure data structure using the generated request;
  - means for generating a projected graph data structure data structure representation using the generated request, the server graph data structure data structure, and a schema associated with the server graph data structure data structure; and
  - means for instantiating the projected graph data structure data structure using the projected graph data structure data structure representation,
  - wherein the variable usage specification comprises a plurality states and at least one transition for an application,
  - wherein each of the plurality of states comprises a list of required objects and object attributes, [[and]]
  - wherein the at least one transition comprises business logic to transition the application from one state of the plurality of states to another state of the plurality of states.

Application No.: 10/044,927

Docket No.: 16159/018001; P6405

- wherein the projected graph data structure is an object graph,
- wherein the server graph data structure is an object graph, and
- wherein the projected graph data structure representation comprises a hash table.
- 23. (Original) The apparatus of claim 22, further comprising:
  n teans for synchronizing projected objects located on the client with distributed objects located on a server.